



12 Ashley Street, Chatswood, NSW 2067
tel: +61 2 9910 6200

email: sydney@envirolab.com.au
envirolab.com.au

Envirolab Services Pty Ltd - Sydney | ABN 37 112 535 645

CERTIFICATE OF ANALYSIS

149729

Client:

GHD Pty Ltd (Wagga Wagga)
Suite 3, Level 1, 161-169 Baylis St
Wagga Wagga
NSW 2650

Attention: Chrisjan Joubert

Sample log in details:

Your Reference:	2315786, Tarcoola
No. of samples:	4 Dust Gauges
Date samples received / completed instructions received	07/07/16 / 07/07/16

Analysis Details:

Please refer to the following pages for results, methodology summary and quality control data.
Samples were analysed as received from the client. Results relate specifically to the samples as received.
Results are reported on a dry weight basis for solids and on an as received basis for other matrices.


Please refer to the last page of this report for any comments relating to the results.

Report Details:

Date results requested by: / Issue Date:	14/07/16 / 14/07/16
Date of Preliminary Report:	Not Issued

NATA accreditation number 2901. This document shall not be reproduced except in full.
Accredited for compliance with ISO/IEC 17025. **Tests not covered by NATA are denoted with *.**

Results Approved By:



David Springer
General Manager

Envirolab Reference: 149729
Revision No: R 00



Dust Deposition AS 3580.10.1 Our Reference: Your Reference Date Sampled	UNITS ----- - -----	149729-1 GHD Tarcoola #1 1-30 /6/2016	149729-2 GHD Tarcoola #2 1-30 /6/2016	149729-3 GHD Tarcoola #4 1-30 /6/2016	149729-4 GHD Tarcoola #5 1-30 /6/2016
Dust Gauge Start Date	--	01/06/2016	01/06/2016	01/06/2016	01/06/2016
Dust Gauge End Date	--	30/06/2016	30/06/2016	30/06/2016	30/06/2016
Dust - No. of Days Collected	--	30	30	30	30
Insoluble Solids	g/m ² /m onth	1.3127	1.3579	0.3055	0.5205
Combustible Matter	g/m ² /m onth	0.2320	0.1924	0.1415	0.3961
Ash	g/m ² /m onth	1.0807	1.1656	0.1641	0.1245
Soluble Matter	g/m ² /m onth	0.6394	0.6224	0.1358	0.8544
Total Solids	g/m ² /m onth	1.9520	1.9803	0.4413	1.3749

Method ID	Methodology Summary
AS 3580.10.1	Analysis of dust gauges by AS 3580.10.1 (analysis only).

Report Comments:

Asbestos ID was analysed by Approved Identifier:	Not applicable for this job
Asbestos ID was authorised by Approved Signatory:	Not applicable for this job

INS: Insufficient sample for this test	PQL: Practical Quantitation Limit	NT: Not tested
NR: Test not required	RPD: Relative Percent Difference	NA: Test not required
<: Less than	>: Greater than	LCS: Laboratory Control Sample

Quality Control Definitions

Blank: This is the component of the analytical signal which is not derived from the sample but from reagents, glassware etc, can be determined by processing solvents and reagents in exactly the same manner as for samples.

Duplicate: This is the complete duplicate analysis of a sample from the process batch. If possible, the sample selected should be one where the analyte concentration is easily measurable.

Matrix Spike: A portion of the sample is spiked with a known concentration of target analyte. The purpose of the matrix spike is to monitor the performance of the analytical method used and to determine whether matrix interferences exist.

LCS (Laboratory Control Sample): This comprises either a standard reference material or a control matrix (such as a blank sand or water) fortified with analytes representative of the analyte class. It is simply a check sample.

Surrogate Spike: Surrogates are known additions to each sample, blank, matrix spike and LCS in a batch, of compounds which are similar to the analyte of interest, however are not expected to be found in real samples.

Laboratory Acceptance Criteria

Duplicate sample and matrix spike recoveries may not be reported on smaller jobs, however, were analysed at a frequency to meet or exceed NEPM requirements. All samples are tested in batches of 20. The duplicate sample RPD and matrix spike recoveries for the batch were within the laboratory acceptance criteria.

Filters, swabs, wipes, tubes and badges will not have duplicate data as the whole sample is generally extracted during sample extraction.

Spikes for Physical and Aggregate Tests are not applicable.

For VOCs in water samples, three vials are required for duplicate or spike analysis.

Duplicates: <5xPQL - any RPD is acceptable; >5xPQL - 0-50% RPD is acceptable.

Matrix Spikes, LCS and Surrogate recoveries: Generally 70-130% for inorganics/metals; 60-140% for organics (+/-50% surrogates) and 10-140% for labile SVOCs (including labile surrogates), ultra trace organics and speciated phenols is acceptable.

In circumstances where no duplicate and/or sample spike has been reported at 1 in 10 and/or 1 in 20 samples respectively, the sample volume submitted was insufficient in order to satisfy laboratory QA/QC protocols.

When samples are received where certain analytes are outside of recommended technical holding times (THTs), the analysis has proceeded. Where analytes are on the verge of breaching THTs, every effort will be made to analyse within the THT or as soon as practicable.

Where sampling dates are not provided, Envirolab are not in a position to comment on the validity of the analysis where recommended technical holding times may have been breached.

GHD

Suite 3, Level 1 161-169 Baylis Street

Wagga Wagga NSW 2650

Attention: Nathan Szymanski

Monday, September 26, 2016



NATA Accredited Laboratory
Number: 9597

*This document is issued in accordance with
NATA's accreditation requirements. Accredited
for compliance with ISO/IEC 17025. This
document shall not be reproduced, except in full.*

LABORATORY ANALYSIS REPORT

Report Number: 1609-0003

Page 1 of 2

For all enquiries related to this report please quote document number: 1609-0003

Facility:	Order #	
Sample Type	Collected By	Date Received
Air Particulates	Client	01-September-2016

EAL ID	Client ID. Date/Time sample taken	Test	Result (units)	Method Reference	Limit of Reporting
16Sep-0006	Tarcoola Dust 1 01.09.16	Deposited Matter - Ash	6.2 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Combustible Matter	2.1 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Insoluble Solids	8.3 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Soluble Solids	1.7 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Total Matter	10.0 g/m2/month	AS 3580.10.1:2003	0.2
16Sep-0007	Tarcoola Dust 2 01.09.16	Deposited Matter - Ash	0.3 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Combustible Matter	<0.2 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Insoluble Solids	0.3 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Soluble Solids	0.5 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Total Matter	0.9 g/m2/month	AS 3580.10.1:2003	0.2
16Sep-0008	Tarcoola Dust 4 01.09.16	Deposited Matter - Ash	0.5 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Combustible Matter	<0.2 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Insoluble Solids	0.5 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Soluble Solids	<0.2 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Total Matter	0.3 g/m2/month	AS 3580.10.1:2003	0.2
16Sep-0009	Tarcoola Dust 5 01.09.16	Deposited Matter - Ash	1.2 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Combustible Matter	<0.2 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Insoluble Solids	1.3 g/m2/month	AS 3580.10.1:2003	0.2

GHD

Suite 3, Level 1 161-169 Baylis Street

Wagga Wagga NSW 2650

Attention: Nathan Szymanski

Monday, September 26, 2016

NATA Accredited Laboratory
Number: 9597*This document is issued in accordance with
NATA's accreditation requirements. Accredited
for compliance with ISO/IEC 17025. This
document shall not be reproduced, except in full.*


LABORATORY ANALYSIS REPORT

Report Number: 1609-0003

Page 2 of 2

For all enquiries related to this report please quote document number: 1609-0003

<u>Facility:</u>	<u>Order #</u>				
<u>Sample Type</u>	<u>Collected By</u>			<u>Date Received</u>	
Air Particulates	Client			01-September-2016	
<u>EAL ID</u>	<u>Client ID.</u> Date/Time sample taken	<u>Test</u>	<u>Result (units)</u>	<u>Method Reference</u>	<u>Limit of Reporting</u>
16Sep-0009	Tarcoola Dust 5 01.09.16	Deposited Matter - Soluble Solids	0.2 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Total Matter	1.5 g/m2/month	AS 3580.10.1:2003	0.2

*Note:**NATA accreditation not held for tests marked with **Signed  David Wade, Laboratory Manager.

*All samples analysed as received.
All soil results are reported on a dry basis.
The EAL takes no responsibility for the end use of results within this report.
This report shall not be reproduced except in full.
This report replaces any previously issued report*

GHD

Tuesday, October 18, 2016

Suite 3, Level 1 161-169 Baylis Street

Wagga Wagga NSW 2650

Attention: Nathan Szymanski



NATA Accredited Laboratory
Number: 9597

*This document is issued in accordance with
NATA's accreditation requirements. Accredited
for compliance with ISO/IEC 17025. This
document shall not be reproduced, except in full.*

LABORATORY ANALYSIS REPORT

Report Number: 1609-0155

Page 1 of 2

For all enquiries related to this report please quote document number: 1609-0155

Facility:	Order #	
Sample Type	Collected By	Date Received
Air Particulates	Belinda Fourie	28-September-2016

EAL ID	Client ID. Date/Time sample taken	Test	Result (units)	Method Reference	Limit of Reporting
16Sep-0497	1 30.08.16 to 28.09.16	Deposited Matter - Ash	5.0 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Combustible Matter	3.1 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Insoluble Solids	8.0 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Soluble Solids	7.4 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Total Matter	15.4 g/m2/month	AS 3580.10.1:2003	0.2
16Sep-0498	2 30.08.16 to 28.09.16	Deposited Matter - Ash	1.1 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Combustible Matter	0.4 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Insoluble Solids	1.5 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Soluble Solids	1.1 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Total Matter	2.5 g/m2/month	AS 3580.10.1:2003	0.2
16Sep-0499	4 30.08.16 to 28.09.16	Deposited Matter - Ash	0.8 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Combustible Matter	0.3 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Insoluble Solids	1.1 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Soluble Solids	1.0 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Total Matter	2.0 g/m2/month	AS 3580.10.1:2003	0.2
16Sep-0500	5 30.08.16 to 28.09.16	Deposited Matter - Ash	0.4 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Combustible Matter	0.2 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Insoluble Solids	0.7 g/m2/month	AS 3580.10.1:2003	0.2

GHD

Suite 3, Level 1 161-169 Baylis Street

Wagga Wagga NSW 2650

Attention: Nathan Szymanski

Tuesday, October 18, 2016

NATA Accredited Laboratory
Number: 9597*This document is issued in accordance with
NATA's accreditation requirements. Accredited
for compliance with ISO/IEC 17025. This
document shall not be reproduced, except in full.*


LABORATORY ANALYSIS REPORT

Report Number: 1609-0155

Page 2 of 2

For all enquiries related to this report please quote document number: 1609-0155

<u>Facility:</u>		<u>Order #</u>			
<u>Sample Type</u>		<u>Collected By</u>		<u>Date Received</u>	
Air Particulates		Belinda Fourie		28-September-2016	
<u>EAL ID</u>	<u>Client ID.</u> Date/Time sample taken	<u>Test</u>	<u>Result (units)</u>	<u>Method Reference</u>	<u>Limit of Reporting</u>
16Sep-0500	5 30.08.16 to 28.09.16	Deposited Matter - Soluble Solids	1.1 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Total Matter	1.7 g/m2/month	AS 3580.10.1:2003	0.2

*Note:**NATA accreditation not held for tests marked with **Signed  David Wade, Laboratory Manager.

*All samples analysed as received.
All soil results are reported on a dry basis.
The EAL takes no responsibility for the end use of results within this report.
This report shall not be reproduced except in full.
This report replaces any previously issued report*

GHD

Thursday, November 10, 2016

Suite 3, Level 1 161-169 Baylis Street

Wagga Wagga NSW 2650

Attention: Nathan Szymanski



NATA Accredited Laboratory
Number: 9597

Accredited for compliance with
ISO/IEC 17025 - Testing

LABORATORY ANALYSIS REPORT

Report Number: 1610-0144

Page 1 of 2

For all enquiries related to this report please quote document number: 1610-0144

Facility:	Order #	
Sample Type	Collected By	Date Received
Air Particulates	Belinda Fourie	26-October-2016

EAL ID	Client ID. Date/Time sample taken	Test	Result (units)	Method Reference	Limit of Reporting
16Oct-0457	Tarcoola 1 28.09.16 to 26.10.16	Deposited Matter - Ash	9.3 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Combustible Matter	3.5 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Insoluble Solids	12.9 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Soluble Solids	10.0 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Total Matter	22.9 g/m2/month	AS 3580.10.1:2003	0.2
16Oct-0458	Tarcoola 2 28.09.16 to 26.10.16	Deposited Matter - Ash	1.2 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Combustible Matter	2.4 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Insoluble Solids	3.6 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Soluble Solids	2.8 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Total Matter	6.4 g/m2/month	AS 3580.10.1:2003	0.2
16Oct-0459	Tarcoola 4 28.09.16 to 26.10.16	Deposited Matter - Ash	5.3 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Combustible Matter	3.8 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Insoluble Solids	9.1 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Soluble Solids	10.6 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Total Matter	19.7 g/m2/month	AS 3580.10.1:2003	0.2
16Oct-0460	Tarcoola 5 28.09.16 to 26.10.16	Deposited Matter - Ash	43.2 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Combustible Matter	13.6 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Insoluble Solids	56.8 g/m2/month	AS 3580.10.1:2003	0.2

GHD

Thursday, November 10, 2016

Suite 3, Level 1 161-169 Baylis Street

Wagga Wagga NSW 2650

Attention: Nathan Szymanski

NATA Accredited Laboratory
Number: 9597Accredited for compliance with
ISO/IEC 17025 - Testing

LABORATORY ANALYSIS REPORT

Report Number: 1610-0144


Page 2 of 2

For all enquiries related to this report please quote document number: 1610-0144

<u>Facility:</u>		<u>Order #</u>			
<u>Sample Type</u>		<u>Collected By</u>		<u>Date Received</u>	
Air Particulates		Belinda Fourie		26-October-2016	
<u>EAL ID</u>	<u>Client ID.</u> Date/Time sample taken	<u>Test</u>	<u>Result (units)</u>	<u>Method Reference</u>	<u>Limit of Reporting</u>
16Oct-0460	Tarcoola 5 28.09.16 to 26.10.16				
		Deposited Matter - Soluble Solids	27.0 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Total Matter	83.7 g/m2/month	AS 3580.10.1:2003	0.2

Note:

* NATA Accreditation does not cover the performance of this service.

Signed  David Wade, Laboratory Manager.

All samples analysed as received.
All soil results are reported on a dry basis.
The EAL takes no responsibility for the end use of results within this report.
This report shall not be reproduced except in full.
This report replaces any previously issued report



12 Ashley Street, Chatswood, NSW 2067
tel: +61 2 9910 6200

email: sydney@envirolab.com.au
envirolab.com.au

Envirolab Services Pty Ltd - Sydney | ABN 37 112 535 645

CERTIFICATE OF ANALYSIS

158055

Client:

GHD Pty Ltd (Wagga Wagga)

Suite 3, Level 1, 161-169 Baylis St

Wagga Wagga

NSW 2650

Attention: Belinda Fourie

Sample log in details:

Your Reference:

Tarcoola Quarry

No. of samples:

4 Dust Gauges

Date samples received / completed instructions received

28/11/16 / 28/11/16

Analysis Details:

Please refer to the following pages for results, methodology summary and quality control data.

Samples were analysed as received from the client. Results relate specifically to the samples as received.

Results are reported on a dry weight basis for solids and on an as received basis for other matrices.

Please refer to the last page of this report for any comments relating to the results.

Report Details:

Date results requested by: / Issue Date:

5/12/16 / 2/12/16

Date of Preliminary Report:

Not Issued

NATA accreditation number 2901. This document shall not be reproduced except in full.

Accredited for compliance with ISO/IEC 17025 - Testing

Tests not covered by NATA are denoted with *.

Results Approved By:

David Springer
General Manager



Envirolab Reference: 158055

Revision No: R 00

Dust Deposition AS 3580.10.1					
Our Reference:	UNITS	158055-1	158055-2	158055-3	158055-4
Your Reference	-----	GHD Tarcoola	GHD Tarcoola	GHD Tarcoola	GHD Tarcoola
	-	#1	#2	#4	#5
Date Sampled	-----	26/10/16-	26/10/16-	26/10/16-	26/10/16-
		25/11/16	25/11/16	25/11/16	25/11/16
Type of sample		dust gauge	dust gauge	dust gauge	dust gauge
Dust Gauge Start Date	--	26/10/2016	26/10/2016	26/10/2016	26/10/2016
Dust Gauge End Date	--	25/11/2016	25/11/2016	25/11/2016	25/11/2016
Dust - No. of Days Collected	--	31	31	31	31
Insoluble Solids	g/m ² /m onth	1.2211	1.4839	2.6447	6.8390
Combustible Matter	g/m ² /m onth	0.6078	0.6406	1.2430	3.0499
Ash	g/m ² /m onth	0.6133	0.8432	1.4018	3.7891
Soluble Matter	g/m ² /m onth	1.4784	1.1827	1.3306	2.6776
Total Solids	g/m ² /m onth	2.6995	2.6666	3.9753	9.5166

Method ID	Methodology Summary
AS 3580.10.1	Analysis of dust gauges by AS 3580.10.1 (analysis only).

Report Comments:

High solid amount determined for sample GHD tarcoola #5 due to presence of clay and mineral material.

Asbestos ID was analysed by Approved Identifier:

Not applicable for this job

Asbestos ID was authorised by Approved Signatory:

Not applicable for this job

INS: Insufficient sample for this test

PQL: Practical Quantitation Limit

NT: Not tested

NR: Test not required

RPD: Relative Percent Difference

NA: Test not required

<: Less than

>: Greater than

LCS: Laboratory Control Sample

Quality Control Definitions

Blank: This is the component of the analytical signal which is not derived from the sample but from reagents, glassware etc, can be determined by processing solvents and reagents in exactly the same manner as for samples.

Duplicate: This is the complete duplicate analysis of a sample from the process batch. If possible, the sample selected should be one where the analyte concentration is easily measurable.

Matrix Spike: A portion of the sample is spiked with a known concentration of target analyte. The purpose of the matrix spike is to monitor the performance of the analytical method used and to determine whether matrix interferences exist.

LCS (Laboratory Control Sample): This comprises either a standard reference material or a control matrix (such as a blank sand or water) fortified with analytes representative of the analyte class. It is simply a check sample.

Surrogate Spike: Surrogates are known additions to each sample, blank, matrix spike and LCS in a batch, of compounds which are similar to the analyte of interest, however are not expected to be found in real samples.

Laboratory Acceptance Criteria

Duplicate sample and matrix spike recoveries may not be reported on smaller jobs, however, were analysed at a frequency to meet or exceed NEPM requirements. All samples are tested in batches of 20. The duplicate sample RPD and matrix spike recoveries for the batch were within the laboratory acceptance criteria.

Filters, swabs, wipes, tubes and badges will not have duplicate data as the whole sample is generally extracted during sample extraction.

Spikes for Physical and Aggregate Tests are not applicable.

For VOCs in water samples, three vials are required for duplicate or spike analysis.

Duplicates: <5xPQL - any RPD is acceptable; >5xPQL - 0-50% RPD is acceptable.

Matrix Spikes, LCS and Surrogate recoveries: Generally 70-130% for inorganics/metals; 60-140% for organics (+/-50% surrogates) and 10-140% for labile SVOCs (including labile surrogates), ultra trace organics and speciated phenols is acceptable.

In circumstances where no duplicate and/or sample spike has been reported at 1 in 10 and/or 1 in 20 samples respectively, the sample volume submitted was insufficient in order to satisfy laboratory QA/QC protocols.

When samples are received where certain analytes are outside of recommended technical holding times (THTs), the analysis has proceeded. Where analytes are on the verge of breaching THTs, every effort will be made to analyse within the THT or as soon as practicable.

Where sampling dates are not provided, Envirolab are not in a position to comment on the validity of the analysis where recommended technical holding times may have been breached.

Measurement Uncertainty estimates are available for most tests upon request.

GHD

Tuesday, January 10, 2017

Suite 3, Level 1 161-169 Baylis Street

Wagga Wagga NSW 2650

Attention: Nathan Szymanski



NATA Accredited Laboratory
Number: 9597

Accredited for compliance with
ISO/IEC 17025 - Testing

LABORATORY ANALYSIS REPORT

Report Number: 1612-0112

Page 1 of 2

For all enquiries related to this report please quote document number: 1612-0112

Facility:	Order #	
Sample Type	Collected By	Date Received
Air Particulates	A Williams	23-December-2016

EAL ID	Client ID. Date/Time sample taken	Test	Result (units)	Method Reference	Limit of Reporting
16Dec-0358	Site 1 25.11.16 to 23.12.16	Deposited Matter - Ash	1.5 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Combustible Matter	0.9 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Insoluble Solids	2.4 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Soluble Solids	2.7 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Total Matter	5.1 g/m2/month	AS 3580.10.1:2003	0.2
16Dec-0359	Site 2 25.11.16 to 23.12.16	Deposited Matter - Ash	1.8 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Combustible Matter	<0.2 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Insoluble Solids	1.8 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Soluble Solids	0.9 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Total Matter	2.8 g/m2/month	AS 3580.10.1:2003	0.2
16Dec-0360	Site 4 25.11.16 to 23.12.16	Deposited Matter - Ash	1.4 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Combustible Matter	0.4 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Insoluble Solids	1.8 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Soluble Solids	0.8 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Total Matter	2.6 g/m2/month	AS 3580.10.1:2003	0.2
16Dec-0361	Site 5 25.11.16 to 23.12.16	Deposited Matter - Ash	0.6 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Combustible Matter	<0.2 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Insoluble Solids	0.7 g/m2/month	AS 3580.10.1:2003	0.2

GHD

Tuesday, January 10, 2017

Suite 3, Level 1 161-169 Baylis Street

Wagga Wagga NSW 2650

Attention: Nathan Szymanski

NATA Accredited Laboratory
Number: 9597Accredited for compliance with
ISO/IEC 17025 - Testing

LABORATORY ANALYSIS REPORT

Report Number: 1612-0112


Page 2 of 2

For all enquiries related to this report please quote document number: 1612-0112

<u>Facility:</u>		<u>Order #</u>		<u>Date Received</u>	
<u>Sample Type</u>		<u>Collected By</u>			
Air Particulates		A Williams		23-December-2016	
<u>EAL ID</u>	<u>Client ID.</u> Date/Time sample taken	<u>Test</u>	<u>Result (units)</u>	<u>Method Reference</u>	<u>Limit of Reporting</u>
16Dec-0361	Site 5 25.11.16 to 23.12.16				
		Deposited Matter - Soluble Solids	0.8 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Total Matter	1.5 g/m2/month	AS 3580.10.1:2003	0.2

Note:

* NATA Accreditation does not cover the performance of this service.

Signed David Wade, Laboratory Manager.

All samples analysed as received.
All soil results are reported on a dry basis.
The EAL takes no responsibility for the end use of results within this report.
This report shall not be reproduced except in full.
This report replaces any previously issued report

GHD

Monday, January 30, 2017

Suite 3, Level 1 161-169 Baylis Street

Wagga Wagga NSW 2650

Attention: Nathan Szymanski



NATA Accredited Laboratory
Number: 9597

Accredited for compliance with
ISO/IEC 17025 - Testing

LABORATORY ANALYSIS REPORT

Report Number: 1701-0112

Page 1 of 2

For all enquiries related to this report please quote document number: 1701-0112

Facility:	Order #	
Sample Type	Collected By	Date Received
Air Particulates	A Williams	23-January-2017

EAL ID	Client ID. Date/Time sample taken	Test	Result (units)	Method Reference	Limit of Reporting
17Jan-0355	Tarcoola Turf Site 1 23.12.16 to 23.01.17	Deposited Matter - Ash	1.4 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Combustible Matter	1.3 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Insoluble Solids	2.7 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Soluble Solids	3.6 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Total Matter	6.3 g/m2/month	AS 3580.10.1:2003	0.2
17Jan-0356	Tarcoola Turf Site 2 23.12.16 to 23.01.17	Deposited Matter - Ash	2.3 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Combustible Matter	0.3 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Insoluble Solids	2.6 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Soluble Solids	0.5 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Total Matter	3.1 g/m2/month	AS 3580.10.1:2003	0.2
17Jan-0357	Tarcoola Turf Site 4 23.12.16 to 23.01.17	Deposited Matter - Ash	0.7 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Combustible Matter	0.4 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Insoluble Solids	1.1 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Soluble Solids	0.9 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Total Matter	2.0 g/m2/month	AS 3580.10.1:2003	0.2
17Jan-0358	Tarcoola Turf Site 5 23.12.16 to 23.01.17	Deposited Matter - Ash	0.7 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Combustible Matter	0.6 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Insoluble Solids	1.3 g/m2/month	AS 3580.10.1:2003	0.2

GHD

Monday, January 30, 2017

Suite 3, Level 1 161-169 Baylis Street

Wagga Wagga NSW 2650

Attention: Nathan Szymanski

NATA Accredited Laboratory
Number: 9597Accredited for compliance with
ISO/IEC 17025 - Testing

LABORATORY ANALYSIS REPORT

Report Number: 1701-0112


Page 2 of 2

For all enquiries related to this report please quote document number: 1701-0112

<u>Facility:</u>		<u>Order #</u>		<u>Date Received</u>	
<u>Sample Type</u>		<u>Collected By</u>			
Air Particulates		A Williams		23-January-2017	
<u>EAL ID</u>	<u>Client ID.</u> Date/Time sample taken	<u>Test</u>	<u>Result (units)</u>	<u>Method Reference</u>	<u>Limit of Reporting</u>
17Jan-0358	Tarcoola Turf Site 5 23.12.16 to 23.01.17				
		Deposited Matter - Soluble Solids	1.2 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Total Matter	2.5 g/m2/month	AS 3580.10.1:2003	0.2

Note:

* NATA Accreditation does not cover the performance of this service.

Signed  David Wade, Laboratory Manager.

All samples analysed as received.
All soil results are reported on a dry basis.
The EAL takes no responsibility for the end use of results within this report.
This report shall not be reproduced except in full.
This report replaces any previously issued report

GHD

Tuesday, February 28, 2017

Suite 3, Level 1 161-169 Baylis Street

Wagga Wagga NSW 2650

Attention: Nathan Szymanski



NATA Accredited Laboratory
Number: 9597

Accredited for compliance with
ISO/IEC 17025 - Testing

LABORATORY ANALYSIS REPORT

Report Number: 1702-0125

Page 1 of 2

For all enquiries related to this report please quote document number: 1702-0125

Facility:	Order #	
Sample Type	Collected By	Date Received
Air Particulates	A Williams	23-February-2017

EAL ID	Client ID. Date/Time sample taken	Test	Result (units)	Method Reference	Limit of Reporting
17Feb-0470	Tarcoola Site 1 23.01.17 to 23.02.17	Deposited Matter - Ash	0.9 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Combustible Matter	0.3 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Insoluble Solids	1.2 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Soluble Solids	0.7 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Total Matter	1.8 g/m2/month	AS 3580.10.1:2003	0.2
17Feb-0471	Tarcoola Site 2 23.01.17 to 23.02.17	Deposited Matter - Ash	3.0 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Combustible Matter	0.6 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Insoluble Solids	3.6 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Soluble Solids	0.9 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Total Matter	4.5 g/m2/month	AS 3580.10.1:2003	0.2
17Feb-0472	Tarcoola Site 4 23.01.17 to 23.02.17	Deposited Matter - Ash	1.8 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Combustible Matter	0.4 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Insoluble Solids	2.2 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Soluble Solids	0.8 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Total Matter	3.0 g/m2/month	AS 3580.10.1:2003	0.2
17Feb-0473	Tarcoola Site 5 23.01.17 to 23.02.17	Deposited Matter - Ash	0.9 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Combustible Matter	0.3 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Insoluble Solids	1.3 g/m2/month	AS 3580.10.1:2003	0.2

GHD

Tuesday, February 28, 2017

Suite 3, Level 1 161-169 Baylis Street

Wagga Wagga NSW 2650

Attention: Nathan Szymanski

NATA Accredited Laboratory
Number: 9597Accredited for compliance with
ISO/IEC 17025 - Testing

LABORATORY ANALYSIS REPORT

Report Number: 1702-0125


Page 2 of 2

For all enquiries related to this report please quote document number: 1702-0125

<u>Facility:</u>		<u>Order #</u>			
<u>Sample Type</u>		<u>Collected By</u>		<u>Date Received</u>	
Air Particulates		A Williams		23-February-2017	
<u>EAL ID</u>	<u>Client ID.</u> Date/Time sample taken	<u>Test</u>	<u>Result (units)</u>	<u>Method Reference</u>	<u>Limit of Reporting</u>
17Feb-0473	Tarcoola Site 5 23.01.17 to 23.02.17				
		Deposited Matter - Soluble Solids	1.0 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Total Matter	2.2 g/m2/month	AS 3580.10.1:2003	0.2

Note:

* NATA Accreditation does not cover the performance of this service.

Signed  David Wade, Laboratory Manager.

All samples analysed as received.
All soil results are reported on a dry basis.
The EAL takes no responsibility for the end use of results within this report.
This report shall not be reproduced except in full.
This report replaces any previously issued report

GHD

Wednesday, March 29, 2017

Suite 3, Level 1 161-169 Baylis Street

Wagga Wagga NSW 2650

Attention: Nathan Szymanski



NATA Accredited Laboratory
Number: 9597

Accredited for compliance with
ISO/IEC 17025 - Testing

LABORATORY ANALYSIS REPORT

Report Number: 1703-0144

Page 1 of 2

For all enquiries related to this report please quote document number: 1703-0144

Facility:	Order #	
Sample Type	Collected By	Date Received
Water	A Williams	24-March-2017

EAL ID	Client ID. Date/Time sample taken	Test	Result (units)	Method Reference	Limit of Reporting
17Mar-0454	Tarcoola Site 1 23.02.17 to 24.03.17	Deposited Matter - Ash	1.4 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Combustible Matter	<0.2 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Insoluble Solids	1.6 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Soluble Solids	0.4 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Total Matter	2.0 g/m2/month	AS 3580.10.1:2003	0.2
17Mar-0455	Tarcoola Site 2 23.02.17 to 24.03.17	Deposited Matter - Ash	5.4 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Combustible Matter	0.6 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Insoluble Solids	6.0 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Soluble Solids	5.8 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Total Matter	11.8 g/m2/month	AS 3580.10.1:2003	0.2
17Mar-0456	Tarcoola Site 4 23.02.17 to 24.03.17	Deposited Matter - Ash	1.5 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Combustible Matter	<0.2 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Insoluble Solids	1.7 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Soluble Solids	0.4 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Total Matter	2.1 g/m2/month	AS 3580.10.1:2003	0.2
17Mar-0457	Tarcoola Site 5 23.02.17 to 24.03.17	Deposited Matter - Ash	1.3 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Combustible Matter	0.4 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Insoluble Solids	1.7 g/m2/month	AS 3580.10.1:2003	0.2

GHD

Wednesday, March 29, 2017

Suite 3, Level 1 161-169 Baylis Street

Wagga Wagga NSW 2650

Attention: Nathan Szymanski

NATA Accredited Laboratory
Number: 9597Accredited for compliance with
ISO/IEC 17025 - Testing

LABORATORY ANALYSIS REPORT

Report Number: 1703-0144


Page 2 of 2

For all enquiries related to this report please quote document number: 1703-0144

<u>Facility:</u>	<u>Order #</u>				
<u>Sample Type</u>	<u>Collected By</u>			<u>Date Received</u>	
Water	A Williams			24-March-2017	
<u>EAL ID</u>	<u>Client ID.</u> Date/Time sample taken	<u>Test</u>	<u>Result (units)</u>	<u>Method Reference</u>	<u>Limit of Reporting</u>
17Mar-0457	Tarcoola Site 5 23.02.17 to 24.03.17				
		Deposited Matter - Soluble Solids	0.8 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Total Matter	2.5 g/m2/month	AS 3580.10.1:2003	0.2

Note:

* NATA Accreditation does not cover the performance of this service.

Signed  David Wade, Laboratory Manager.

All samples analysed as received.
All soil results are reported on a dry basis.
The EAL takes no responsibility for the end use of results within this report.
This report shall not be reproduced except in full.
This report replaces any previously issued report

GHD

Thursday, April 27, 2017

Suite 3, Level 1 161-169 Baylis Street

Wagga Wagga NSW 2650

Attention: Nathan Szymanski



NATA Accredited Laboratory
Number: 9597

Accredited for compliance with
ISO/IEC 17025 - Testing

LABORATORY ANALYSIS REPORT

Report Number: 1704-0086

Page 1 of 2

For all enquiries related to this report please quote document number: 1704-0086

Facility:	Order #	
Sample Type	Collected By	Date Received
Air Particulates	A. Williams	21-April-2017

EAL ID	Client ID. Date/Time sample taken	Test	Result (units)	Method Reference	Limit of Reporting
17Apr-0252	Tarcoola Site 1 23.03.17 - 21.04.17	Deposited Matter - Ash	1.0 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Combustible Matter	<0.2 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Insoluble Solids	1.1 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Soluble Solids	0.6 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Total Matter	1.7 g/m2/month	AS 3580.10.1:2003	0.2
17Apr-0253	Tarcoola Site 2 23.03.17 - 21.04.17	Deposited Matter - Ash	2.5 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Combustible Matter	0.3 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Insoluble Solids	2.8 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Soluble Solids	0.6 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Total Matter	3.4 g/m2/month	AS 3580.10.1:2003	0.2
17Apr-0254	Tarcoola Site 4 23.03.17 - 21.04.17	Deposited Matter - Ash	1.8 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Combustible Matter	2.2 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Insoluble Solids	4.0 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Soluble Solids	5.5 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Total Matter	9.5 g/m2/month	AS 3580.10.1:2003	0.2
17Apr-0255	Tarcoola Site 5 23.03.17 - 21.04.17	Deposited Matter - Ash	6.3 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Combustible Matter	1.3 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Insoluble Solids	7.6 g/m2/month	AS 3580.10.1:2003	0.2

GHD

Thursday, April 27, 2017

Suite 3, Level 1 161-169 Baylis Street

Wagga Wagga NSW 2650

Attention: Nathan Szymanski

NATA Accredited Laboratory
Number: 9597Accredited for compliance with
ISO/IEC 17025 - Testing

LABORATORY ANALYSIS REPORT

Report Number: 1704-0086


Page 2 of 2

For all enquiries related to this report please quote document number: 1704-0086

<u>Facility:</u>		<u>Order #</u>			
<u>Sample Type</u>		<u>Collected By</u>		<u>Date Received</u>	
Air Particulates		A. Williams		21-April-2017	
<u>EAL ID</u>	<u>Client ID.</u> Date/Time sample taken	<u>Test</u>	<u>Result (units)</u>	<u>Method Reference</u>	<u>Limit of Reporting</u>
17Apr-0255	Tarcoola Site 5 23.03.17 - 21.04.17	Deposited Matter - Soluble Solids	1.0 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Total Matter	8.5 g/m2/month	AS 3580.10.1:2003	0.2

Note:

* NATA Accreditation does not cover the performance of this service.

Signed  David Wade, Laboratory Manager.

All samples analysed as received.
All soil results are reported on a dry basis.
The EAL takes no responsibility for the end use of results within this report.
This report shall not be reproduced except in full.
This report replaces any previously issued report

GHD

Thursday, June 1, 2017

Suite 3, Level 1 161-169 Baylis Street

Wagga Wagga NSW 2650

Attention: Nathan Szymanski



NATA Accredited Laboratory
Number: 9597

Accredited for compliance with
ISO/IEC 17025 - Testing

LABORATORY ANALYSIS REPORT

Report Number: 1705-0109

Page 1 of 2

For all enquiries related to this report please quote document number: 1705-0109

Facility:	Order #	
Sample Type	Collected By	Date Received
Air Particulates	Client	23-May-2017

EAL ID	Client ID. Date/Time sample taken	Test	Result (units)	Method Reference	Limit of Reporting
17May-0383	Tarcoola Site 1 21.04.17 to 23.05.17	Deposited Matter - Ash	2.0 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Combustible Matter	13.3 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Insoluble Solids	15.3 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Soluble Solids	2.3 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Total Matter	17.6 g/m2/month	AS 3580.10.1:2003	0.2
17May-0384	Tarcoola Site 2 21.04.17 to 23.05.17	Deposited Matter - Ash	0.6 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Combustible Matter	<0.2 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Insoluble Solids	0.7 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Soluble Solids	<0.2 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Total Matter	0.8 g/m2/month	AS 3580.10.1:2003	0.2
17May-0385	Tarcoola Site 4 21.04.17 to 23.05.17	Deposited Matter - Ash	1.2 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Combustible Matter	2.8 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Insoluble Solids	4.0 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Soluble Solids	<0.2 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Total Matter	4.1 g/m2/month	AS 3580.10.1:2003	0.2
17May-0386	Tarcoola Site 5 21.04.17 to 23.05.17	Deposited Matter - Ash	1.1 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Combustible Matter	0.3 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Insoluble Solids	1.4 g/m2/month	AS 3580.10.1:2003	0.2

GHD

Thursday, June 1, 2017

Suite 3, Level 1 161-169 Baylis Street

Wagga Wagga NSW 2650

Attention: Nathan Szymanski

NATA Accredited Laboratory
Number: 9597Accredited for compliance with
ISO/IEC 17025 - Testing

LABORATORY ANALYSIS REPORT

Report Number: 1705-0109


Page 2 of 2

For all enquiries related to this report please quote document number: 1705-0109

<u>Facility:</u>		<u>Order #</u>			
<u>Sample Type</u>		<u>Collected By</u>		<u>Date Received</u>	
Air Particulates		Client		23-May-2017	
<u>EAL ID</u>	<u>Client ID.</u> Date/Time sample taken	<u>Test</u>	<u>Result (units)</u>	<u>Method Reference</u>	<u>Limit of Reporting</u>
17May-0386	Tarcoola Site 5 21.04.17 to 23.05.17	Deposited Matter - Soluble Solids	<0.2 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Total Matter	1.4 g/m2/month	AS 3580.10.1:2003	0.2

Note:

* NATA Accreditation does not cover the performance of this service.

Signed David Wade, Laboratory Manager.

All samples analysed as received.
All soil results are reported on a dry basis.
The EAL takes no responsibility for the end use of results within this report.
This report shall not be reproduced except in full.
This report replaces any previously issued report

GHD

Monday, June 26, 2017

Suite 3, Level 1 161-169 Baylis Street

Wagga Wagga NSW 2650

Attention: Nathan Szymanski



NATA Accredited Laboratory
Number: 9597

Accredited for compliance with
ISO/IEC 17025 - Testing

LABORATORY ANALYSIS REPORT

Report Number: 1706-0061

Page 1 of 2

For all enquiries related to this report please quote document number: 1706-0061

Facility:	Order #	
Sample Type	Collected By	Date Received
Air Particulates	Belinda Fourie	20-June-2017

EAL ID	Client ID. Date/Time sample taken	Test	Result (units)	Method Reference	Limit of Reporting
17Jun-0144	Tarcoola 1 23.05.17 to 20.06.17	Deposited Matter - Ash	0.3 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Combustible Matter	<0.2 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Insoluble Solids	0.4 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Soluble Solids	0.4 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Total Matter	0.8 g/m2/month	AS 3580.10.1:2003	0.2
17Jun-0145	Tarcoola 2 23.05.17 to 20.06.17	Deposited Matter - Ash	3.0 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Combustible Matter	0.8 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Insoluble Solids	3.7 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Soluble Solids	0.5 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Total Matter	4.2 g/m2/month	AS 3580.10.1:2003	0.2
17Jun-0146	Tarcoola 4 23.05.17 to 20.06.17	Deposited Matter - Ash	0.3 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Combustible Matter	<0.2 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Insoluble Solids	0.4 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Soluble Solids	<0.2 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Total Matter	0.4 g/m2/month	AS 3580.10.1:2003	0.2
17Jun-0147	Tarcoola 5 23.05.17 to 20.06.17	Deposited Matter - Ash	0.2 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Combustible Matter	<0.2 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Insoluble Solids	0.3 g/m2/month	AS 3580.10.1:2003	0.2

GHD

Friday, July 28, 2017

Suite 3, Level 1 161-169 Baylis Street

Wagga Wagga NSW 2650

Attention: Nathan Szymanski



NATA Accredited Laboratory
Number: 9597

Accredited for compliance with
ISO/IEC 17025 - Testing

LABORATORY ANALYSIS REPORT

Report Number: 1707-0073

Page 1 of 2

For all enquiries related to this report please quote document number: 1707-0073

Facility:	Order #	
Sample Type	Collected By	Date Received
Air Particulates	A. Williams	20-July-2017

EAL ID	Client ID. Date/Time sample taken	Test	Result (units)	Method Reference	Limit of Reporting
17Jul-0208	Tarcoola #1 20.06.17 - 20.07.17	Deposited Matter - Ash	0.8 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Combustible Matter	1.0 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Insoluble Solids	1.7 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Soluble Solids	1.4 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Total Matter	3.2 g/m2/month	AS 3580.10.1:2003	0.2
17Jul-0209	Tarcoola #2 20.06.17 - 20.07.17	Deposited Matter - Ash	0.8 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Combustible Matter	0.3 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Insoluble Solids	1.1 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Soluble Solids	0.3 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Total Matter	1.4 g/m2/month	AS 3580.10.1:2003	0.2
17Jul-0210	Tarcoola #4 20.06.17 - 20.07.17	Deposited Matter - Ash	1.7 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Combustible Matter	1.2 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Insoluble Solids	2.9 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Soluble Solids	2.7 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Total Matter	5.6 g/m2/month	AS 3580.10.1:2003	0.2
17Jul-0211	Tarcoola #5 20.06.17 - 20.07.17	Deposited Matter - Ash	0.5 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Combustible Matter	0.2 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Insoluble Solids	0.7 g/m2/month	AS 3580.10.1:2003	0.2

GHD

Friday, July 28, 2017

Suite 3, Level 1 161-169 Baylis Street

Wagga Wagga NSW 2650

Attention: Nathan Szymanski

NATA Accredited Laboratory
Number: 9597Accredited for compliance with
ISO/IEC 17025 - Testing

LABORATORY ANALYSIS REPORT

Report Number: 1707-0073


Page 2 of 2

For all enquiries related to this report please quote document number: 1707-0073

<u>Facility:</u>		<u>Order #</u>			
<u>Sample Type</u>		<u>Collected By</u>		<u>Date Received</u>	
Air Particulates		A. Williams		20-July-2017	
<u>EAL ID</u>	<u>Client ID.</u> Date/Time sample taken	<u>Test</u>	<u>Result (units)</u>	<u>Method Reference</u>	<u>Limit of Reporting</u>
17Jul-0211	Tarcoola #5 20.06.17 - 20.07.17	Deposited Matter - Soluble Solids	<0.2 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Total Matter	0.8 g/m2/month	AS 3580.10.1:2003	0.2

Note:

* NATA Accreditation does not cover the performance of this service.

Signed  David Wade, Laboratory Manager.

All samples analysed as received.
All soil results are reported on a dry basis.
The EAL takes no responsibility for the end use of results within this report.
This report shall not be reproduced except in full.
This report replaces any previously issued report

GHD

Monday, June 26, 2017

Suite 3, Level 1 161-169 Baylis Street

Wagga Wagga NSW 2650

Attention: Nathan Szymanski

NATA Accredited Laboratory
Number: 9597Accredited for compliance with
ISO/IEC 17025 - Testing

LABORATORY ANALYSIS REPORT

Report Number: 1706-0061


Page 2 of 2

For all enquiries related to this report please quote document number: 1706-0061

<u>Facility:</u>	<u>Order #</u>				
<u>Sample Type</u>	<u>Collected By</u>			<u>Date Received</u>	
Air Particulates	Belinda Fourie			20-June-2017	
<u>EAL ID</u>	<u>Client ID.</u> Date/Time sample taken	<u>Test</u>	<u>Result (units)</u>	<u>Method Reference</u>	<u>Limit of Reporting</u>
17Jun-0147	Tarcoola 5 23.05.17 to 20.06.17				
		Deposited Matter - Soluble Solids	0.8 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Total Matter	1.1 g/m2/month	AS 3580.10.1:2003	0.2

Note:

* NATA Accreditation does not cover the performance of this service.

Signed  David Wade, Laboratory Manager.

All samples analysed as received.
All soil results are reported on a dry basis.
The EAL takes no responsibility for the end use of results within this report.
This report shall not be reproduced except in full.
This report replaces any previously issued report