

GHD

Friday, July 28, 2017

Suite 3, Level 1 161-169 Baylis Street

Wagga Wagga NSW 2650

Attention: Nathan Szymanski



NATA Accredited Laboratory
Number: 9597

Accredited for compliance with
ISO/IEC 17025 - Testing

LABORATORY ANALYSIS REPORT

Report Number: 1707-0073

Page 1 of 2

For all enquiries related to this report please quote document number: 1707-0073

Facility:	Order #	
Sample Type	Collected By	Date Received
Air Particulates	A. Williams	20-July-2017

EAL ID	Client ID. Date/Time sample taken	Test	Result (units)	Method Reference	Limit of Reporting
17Jul-0208	Tarcoola #1 20.06.17 - 20.07.17	Deposited Matter - Ash	0.8 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Combustible Matter	1.0 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Insoluble Solids	1.7 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Soluble Solids	1.4 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Total Matter	3.2 g/m2/month	AS 3580.10.1:2003	0.2
17Jul-0209	Tarcoola #2 20.06.17 - 20.07.17	Deposited Matter - Ash	0.8 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Combustible Matter	0.3 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Insoluble Solids	1.1 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Soluble Solids	0.3 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Total Matter	1.4 g/m2/month	AS 3580.10.1:2003	0.2
17Jul-0210	Tarcoola #4 20.06.17 - 20.07.17	Deposited Matter - Ash	1.7 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Combustible Matter	1.2 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Insoluble Solids	2.9 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Soluble Solids	2.7 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Total Matter	5.6 g/m2/month	AS 3580.10.1:2003	0.2
17Jul-0211	Tarcoola #5 20.06.17 - 20.07.17	Deposited Matter - Ash	0.5 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Combustible Matter	0.2 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Insoluble Solids	0.7 g/m2/month	AS 3580.10.1:2003	0.2

GHD

Friday, July 28, 2017

Suite 3, Level 1 161-169 Baylis Street

Wagga Wagga NSW 2650

Attention: Nathan Szymanski

NATA Accredited Laboratory
Number: 9597Accredited for compliance with
ISO/IEC 17025 - Testing

LABORATORY ANALYSIS REPORT

Report Number: 1707-0073


Page 2 of 2

For all enquiries related to this report please quote document number: 1707-0073

<u>Facility:</u>		<u>Order #</u>			
<u>Sample Type</u>		<u>Collected By</u>		<u>Date Received</u>	
Air Particulates		A. Williams		20-July-2017	
<u>EAL ID</u>	<u>Client ID.</u> Date/Time sample taken	<u>Test</u>	<u>Result (units)</u>	<u>Method Reference</u>	<u>Limit of Reporting</u>
17Jul-0211	Tarcoola #5 20.06.17 - 20.07.17				
		Deposited Matter - Soluble Solids	<0.2 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Total Matter	0.8 g/m2/month	AS 3580.10.1:2003	0.2

Note:

* NATA Accreditation does not cover the performance of this service.

Signed David Wade, Laboratory Manager.

All samples analysed as received.
All soil results are reported on a dry basis.
The EAL takes no responsibility for the end use of results within this report.
This report shall not be reproduced except in full.
This report replaces any previously issued report

GHD

Friday, November 3, 2017

Suite 3, Level 1 161-169 Baylis Street

Wagga Wagga NSW 2650

Attention: Nathan Szymanski



NATA Accredited Laboratory
Number: 9597

Accredited for compliance with
ISO/IEC 17025 - Testing

LABORATORY ANALYSIS REPORT

Report Number: 1710-0121

Page 1 of 2

For all enquiries related to this report please quote document number: 1710-0121

Facility:	Order #	
Sample Type	Collected By	Date Received
Air Particulates	A Williams	25-October-2017

EAL ID	Client ID. Date/Time sample taken	Test	Result (units)	Method Reference	Limit of Reporting
17Oct-0341	Tarcoola Turf #1 20.09.17 to 25.10.17	Deposited Matter - Ash	2.9 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Combustible Matter	3.0 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Insoluble Solids	5.8 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Soluble Solids	18.1 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Total Matter	23.9 g/m2/month	AS 3580.10.1:2003	0.2
17Oct-0342	Tarcoola Turf #2 20.09.17 to 25.10.17	Deposited Matter - Ash	0.6 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Combustible Matter	<0.2 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Insoluble Solids	0.8 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Soluble Solids	0.4 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Total Matter	1.2 g/m2/month	AS 3580.10.1:2003	0.2
17Oct-0343	Tarcoola Turf #4 20.09.17 to 25.10.17	Deposited Matter - Ash	0.6 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Combustible Matter	<0.2 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Insoluble Solids	0.7 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Soluble Solids	3.3 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Total Matter	4.0 g/m2/month	AS 3580.10.1:2003	0.2
17Oct-0344	Tarcoola Turf #5 20.09.17 to 25.10.17	Deposited Matter - Ash	0.4 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Combustible Matter	<0.2 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Insoluble Solids	0.6 g/m2/month	AS 3580.10.1:2003	0.2

GHD

Friday, November 3, 2017

Suite 3, Level 1 161-169 Baylis Street

Wagga Wagga NSW 2650

Attention: Nathan Szymanski

NATA Accredited Laboratory
Number: 9597Accredited for compliance with
ISO/IEC 17025 - Testing

LABORATORY ANALYSIS REPORT

Report Number: 1710-0121


Page 2 of 2

For all enquiries related to this report please quote document number: 1710-0121

<u>Facility:</u>		<u>Order #</u>			
<u>Sample Type</u>		<u>Collected By</u>		<u>Date Received</u>	
Air Particulates		A Williams		25-October-2017	
<u>EAL ID</u>	<u>Client ID.</u> Date/Time sample taken	<u>Test</u>	<u>Result (units)</u>	<u>Method Reference</u>	<u>Limit of Reporting</u>
17Oct-0344	Tarcoola Turf #5 20.09.17 to 25.10.17				
		Deposited Matter - Soluble Solids	0.4 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Total Matter	1.0 g/m2/month	AS 3580.10.1:2003	0.2

Note:

* NATA Accreditation does not cover the performance of this service.

Signed..... David Wade, Laboratory Manager.

All samples analysed as received.
All soil results are reported on a dry basis.
The EAL takes no responsibility for the end use of results within this report.
This report shall not be reproduced except in full.
This report replaces any previously issued report

GHD

Friday, February 9, 2018

Suite 3, Level 1 161-169 Baylis Street

Wagga Wagga NSW 2650

Attention: Nathan Szymanski



NATA Accredited Laboratory
Number: 9597

Accredited for compliance with
ISO/IEC 17025 - Testing

LABORATORY ANALYSIS REPORT

Report Number: 1801-0129

Page 1 of 2

For all enquiries related to this report please quote document number: 1801-0129

Facility:	Order #	
Sample Type	Collected By	Date Received
Air Particulates	A Williams	30-January-2018

EAL ID	Client ID. Date/Time sample taken	Test	Result (units)	Method Reference	Limit of Reporting
18Jan-0385	Tarcoola Turf #1 25.10.18 to 30.01.18	Deposited Matter - Ash	1.3 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Combustible Matter	1.6 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Insoluble Solids	2.9 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Soluble Solids	5.5 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Total Matter	8.4 g/m2/month	AS 3580.10.1:2003	0.2
18Jan-0386	Tarcoola Turf #2 25.10.18 to 30.01.18	Deposited Matter - Ash	2.0 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Combustible Matter	0.5 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Insoluble Solids	2.5 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Soluble Solids	0.8 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Total Matter	3.2 g/m2/month	AS 3580.10.1:2003	0.2
18Jan-0387	Tarcoola Turf #4 25.10.18 to 30.01.18	Deposited Matter - Ash	0.7 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Combustible Matter	0.2 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Insoluble Solids	0.9 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Soluble Solids	<0.2 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Total Matter	1.0 g/m2/month	AS 3580.10.1:2003	0.2
18Jan-0388	Tarcoola Turf #5 25.10.18 to 30.01.18	Deposited Matter - Ash	1.2 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Combustible Matter	0.6 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Insoluble Solids	1.8 g/m2/month	AS 3580.10.1:2003	0.2

GHD

Friday, February 9, 2018

Suite 3, Level 1 161-169 Baylis Street

Wagga Wagga NSW 2650

Attention: Nathan Szymanski

NATA Accredited Laboratory
Number: 9597Accredited for compliance with
ISO/IEC 17025 - Testing

LABORATORY ANALYSIS REPORT

Report Number: 1801-0129


Page 2 of 2

For all enquiries related to this report please quote document number: 1801-0129

<u>Facility:</u>		<u>Order #</u>		<u>Date Received</u>	
<u>Sample Type</u>		<u>Collected By</u>			
Air Particulates		A Williams		30-January-2018	
<u>EAL ID</u>	<u>Client ID.</u> Date/Time sample taken	<u>Test</u>	<u>Result (units)</u>	<u>Method Reference</u>	<u>Limit of Reporting</u>
18Jan-0388	Tarcoola Turf #5 25.10.18 to 30.01.18				
		Deposited Matter - Soluble Solids	0.8 g/m2/month	AS 3580.10.1:2003	0.2
		Deposited Matter - Total Matter	2.6 g/m2/month	AS 3580.10.1:2003	0.2

Note:

* NATA Accreditation does not cover the performance of this service.

Signed  David Wade, Laboratory Manager.

All samples analysed as received.
All soil results are reported on a dry basis.
The EAL takes no responsibility for the end use of results within this report.
This report shall not be reproduced except in full.
This report replaces any previously issued report